

International Car Operators

Kiwiweg 80
8380 Zeebrugge
Tel: +32 50 54 24 11
Fax: +32 50 54 60 98
info@icoterminals.com
www.icoterminals.com

Vrasene Terminal : Quays 1235-1241

RoRo-regular service:

- new cars
- 2nd hand cars
- exceptional transport (high & heavy)
- static & project loading

Terminal details:

quay length	3,150 m
surface	125 ha
berths	6 deepsea/4 shortsea
capacity	47.000 car equivalent units (CEU)
water depth	13.5 m (no tide in docks)
rail	2 x 550 m 2 x 450 m
equipment:	1 gate in/out for delivery via trucks 1 mobile gottwald crane 70 ton 1 pontoon deadweight 1000 ton fully asphalted and lighted

extra service Pre Delivery Inspection (PDI) centre

security in conformity with ISPS regulation
 fenced and secured with cameras
 security guards (24/24-7/7)

ANTWERP EURO TERMINAL

Kaai 1333 – Haendorpweg

9130 Beveren

Tel: + 32 3 570.00.70

Fax: + 32 3 570.00.80

[Email : info@aet.be](mailto:info@aet.be)

Mobile cranes	2 X Gottwald 100 Ton
Rolling equipment	5 container stackers 15 forkliften
Total surface	900000 M2
Total covered area	17000 M2
PDI installation	(pre-delivery inspection center) 5400 m3
Container repair	2000 M3

MEXICO NATIE N.V.

Luithagen-haven, 17

B- 2030 Antwerp

Tel : + 32 3 541.90.98

Fax : + 32 3 541.36.05

E-mail: luithagen@mexiconatie.be

TERMINAL RIVER SCHELDT

[E-mail Schelde9@mexiconatie.be](mailto:Schelde9@mexiconatie.be)

Multifunctional	River Scheldt berth 8/13 including RO-RO berth
Quay length	850 m
Draught	8,60 m (low tide)
Total surface	70.000 m ²
Surface of warehouses	6.000 m ²
Mobile cranes	3 x 100 tons Gottwald HMK260E
Rolling equipment	10 forklifts x 2 up to 30 tons + 2 container stackers
Container Freight station	yes, stuffing, stripping, lashing and security

WESTERLUND CORPORATION

ISO- 9002 ISO- 14001

Hazopweg 6 – Haven 1219

B-9130 Kallo- Beveren

Tel: +32 3 570.91.11

Fax: +32 3 570.91.99

[E-mail: westerlund@westerlundgroup.com](mailto:westerlund@westerlundgroup.com)

[Web site: www.westerlundgroup.com](http://www.westerlundgroup.com)

TERMINAL VRASENE DOK :

Multi purpose	berths 1207-1221, including 4 RoRo
Quay length:	2,000 m
Draught:	14 m
Total surface:	880,000 m ²
Surface of warehouses:	260,000 m ²
Mobile cranes:	4, + 100 ton SWL

Rolling equipment:	150 various capacities and types
Spreaders cellulose & paper:	all required equipment
Container Freight Station (CFS):	yes, all modes sea, shortsea, rail , road
	20,000 m ² reserved for transshipment, with 3 covered rail- track

Project & Heavy lift shipping lines :

- Bertling : - North America (Westcoast) & South America (Eastcoast)
- Cobelfret: - Sweden & North Finland
- Finnlines: - Finland & Russia (t/s)
- Gearbulk : - North America (Westcoast) & South America
 - Gulf & Red Sea
- GMB : - Gulf & Red Sea
- Saga: - North America (Westcoast)
- Spliethoff : - Caribbean Shuttle
 - Australian Shuttle
 - Projects Worldwide
- Transfennica: - Finland & Russia (t/s)

SEAPORT TERMINALS

ISO-9002

Head office:

Haandorpweg – Haven 1227

B-9130 Kallo- Beveren

Tel: +32 3 570 76 71

Fax: +32 3 570 76 70

E-mail: info@katoennatie.com

Web site: www.katoennatie.com

TERMINAL VRASENE DOCK

Multi purpose	Berths 1225 – 1231, including 2 RoRo
Quay length:	1,100 m
Draught:	38 ‘
Total surface:	1,150,000 m ²
Surface of warehouses:	400,000 m ²
Of which dedicated to forest products:	90,000 m ² (with covered rail-tracks)
Gantry cranes	2 x 68 ton SWL
Rail-mounted jib cranes:	2 x 38 ton SWL
Mobile cranes:	1 x 120 ton SWL 2 x 45 ton SWL
Rolling equipment:	up to 100 ton capacity:
Spreaders cellulose & paper:	up to 50 ton capacity
Container Freight Station (CFS):	16.000 sqm

Regular forest products shipping lines:

- Gearbulk
- Northern Shipping

Cargo Agency department: yes

PSA HNN

Head Office

Napelsstraat 79

2000 Antwerp

tel +32 3 260 61 11

fax +32 3 260 62 00

www.psahnn.be

Europa Terminal Quays 851-869

Barge terminal 667-669

Quay length 1,180 m

Draft 13.5 m

Surface 720,000 m²

Yearly capacity TEU 1,700,000

Equipment

Gantry cranes 8 up to 18 cont wide

rail handling cranes 1 railway gantry crane

barge handling crane 1 mobile crane, max lifting cap 100 T

straddle carriers 57

empty container handling 6

reefer connections 648